



中国认可
国际互认
检测
TESTING
CNAS L0916

TYPE-EXAMINATION CERTIFICATE OF SPECIAL EQUIPMENT (LIFT)

TSX F34003820180001

Name of Applicant:	NINGBO XINDA ELEVATOR ACCESSORIES CO.,LTD.		
Registered Address of Applicant:	DONGWU TOWN,YINZHOU DISTRICT,NINGBO CITY,ZHEJIANG PROVINCE,315113 CHINA		
Name of Manufacturer:	NINGBO XINDA ELEVATOR ACCESSORIES CO.,LTD.		
Manufacturing Address:	DONGWU TOWN,YINZHOU DISTRICT,NINGBO CITY,ZHEJIANG PROVINCE,315113 CHINA		
Product Category:	Lift Safety Protection Device	Equipment Type	Locking device
Product Name:	Locking device of landing door	Model/Type:	PB161
Type-Examination Report No.	2018AF0235	The verification report No.	2020AF0076

With the Type-Examination, it is confirmed that the product is compliance with the regulations of Regulation for Type Test of Lifts (TSG T7007-2016).

The sample is in compliance with related regulations of GB 7588-2003 Safety Rules for the Construction and Installation of Electric Lifts(Including No.1 amending list) and EN 81-20:2014 Safety rules for the construction and installation of lifts - Lifts for the transport of persons and goods - Part 20: Passenger and goods passenger lifts and EN 81-50:2014 Safety rules for the construction and installation of lifts -Examinations and tests - Part 50: Design rules, calculations, examinations and tests of lift components.

The certificate covers the following different size products of the same type mentioned below: PB161

Please refer to the annex for the specific parameters and configuration.

Issued Date: 23- Mar -2018

Date for Recertification: 25- Feb -2020

Next Verification Before: 22- Mar -2022

SHENZHEN INSTITUTE OF SPECIAL EQUIPMENT INSPECTION AND TEST

GUANGDONG STATION OF ELEVATOR QUALITY SUPERVISION AND TEST (SHENZHEN)

Notes: 1. The applicant has the responsibility to ensure the products being in compliance with standard and also ensure the consistence of product and type tested sample.

2. The certificate cannot apply to products produced after next verification date.



中国认可
国际互认
检测
TESTING
CNAS L0916

TYPE-EXAMINATION CERTIFICATE ANNEXED TABLE (LIFT)

Certificate No.	TSX F34003820180001		
Equipment Type	Locking device		
Product Name	Locking device of landing door	Model/Type	PB161
Rated voltage	\leq AC 230/110 V	Rated current	\leq 1.0 A
Structure Pattern	Hooking-Down	Locking Method	Gravity & Spring
Circuit type	AC	Protection grade (IP) of outer shell	IP2X
Explosion-proof method	/	Working condition	indoor
Other instructions	File identification number: XPSQ2019070012AENZS		